

48" Grill with Infrared Sear Burner, LP Gas

Series 9
Stainless Steel | LPG




Taking your grilling experience to the next level, this Series 9 built-in 48" grill provides the ultimate grilling space for premium outdoor kitchens.

- Infrared sear burner for incredibly fast searing up to 24,000 BTU/hr
- Cater for a crowd with the secondary cooking surface
- Build into an outdoor BBQ island, or add a cart for a freestanding grill
- U-burners deliver 25,000 BTU/hr total power per burner with precise heat control from 300°F to 1100°F

DIMENSIONS

| | |
|--------|-----------|
| Height | 27 1/4" |
| Width | 47 15/16" |
| Depth | 26 7/8" |



FEATURES & BENEFITS

- THE PERFECT SEAR**
A dedicated searing zone with a dynamic infrared burner allows you to experience a new level of versatility, using a range of cooking methods. The improved dual rail design offers increased control and faster heating, so you can achieve the perfect sear every time.
- CHARCOAL SMOKER TRAY**
Enjoy a smoky barbecue flavour with the ease of instant gas flame ignition. Grill directly on the cooking grate or add wood chips for extra smoke. A W-shaped tray with adjustable vents

- helps the charcoal last longer.
- HEAVY-DUTY INFRARED ROTISSERIE**
An infrared rotisserie burner provides controlled searing heat up to 18,000BTU. Perfect for entertaining, the heavy-duty motor can easily turn a 50lb load. The rotisserie rod is conveniently stored under the drip pan handle.

- INTUITIVE LIGHTING**
Brilliant 12-volt lighting safely illuminates the entire grilling surface when you open the lid. Ideal for night-time cooking, the bezel dial lighting glows white when the grill is on, and orange when the gas and grill are in use.

- EASY LIFTING HOOD**
The hood can be opened using one hand for better access and visibility when cooking. You can easily accommodate larger food loads with extra space under the hood.

- EXTRA COOKING AREA**
Effortlessly cook for a crowd with a secondary cooking space. You can fit a grill pan for slow cooking, roasting and making sauces, or to keep food warm after searing.

- GREASE MANAGEMENT SYSTEM™**
Our Grease Management System™ reduces flare-ups by channelling grease and oils away from the burner flames during grilling.

SPECIFICATIONS

| | |
|--------------------------------------|----------------------|
| Accessories (sold separately) | |
| 6" accessory storage | ASE6-48 |
| Built-in grill cover | ACBI-48E |
| Griddle plate | BGC-GP |
| Insulated jacket | BGA48-IJS (optional) |
| Insulated jacket (with storage | BGA54-IJS (optional) |
| On cart grill cover | ACC-48E |

| | |
|------------------------------|---------------------------|
| Optional cart mount | CAD-48E |
| Burners | |
| Number of U-burners | 3 |
| Sear burner zone | • |
| Cooking Surface Area | |
| Primary cooking area | 855sq.in. |
| Secondary cooking area | 738sq.in. |
| Total cooking area | 1593sq.in. |
| Features | |
| Double sided grilling grates | flat and angled position |
| Full charcoal burner/smoker | • |
| Full surface searing | • |
| Grease management system™ | • |
| Hood temperature gauge | • |
| Ignition system | Hot surface |
| Metal dials | • |
| Rotisserie | • |
| Secondary cooking | 2-level racks and tray |
| Wireless temperature sensor | • |
| Finish | |
| Material | 304 grade stainless steel |
| Weather resistant | • |
| Gas Requirements | |
| 1/2" NPT male | • |
| Gas type | LPG |

| | |
|----------------------------|-----------------|
| LP hose with regulator and | • |
| Operational pressure | 11" W.C. |
| Supply Pressure | 12" to 14" W.C. |

Installation Dimensions

| | |
|---------------------------------|-----------------------|
| Cutout depth (proud) | 22 3/4" |
| Cutout height (proud) | 10 1/8" |
| Cutout width (proud) | 45 3/4" |
| Insulated jacket for proud cut- | Varies - check manual |

Performance

| | |
|------------------------------|------------|
| Rotisserie burner power | 18000 BTU |
| Sear burner power | 24000 BTU |
| Total Power | 117000 BTU |
| U-burner power | 25000 BTU |
| Weight rotisserie can handle | 50lbs |

Power requirements

| | |
|-------------------------|-----------|
| Rotisserie power supply | 120V 60Hz |
| Supply frequency | 60Hz |
| Supply voltage | 120V |

Product dimensions

| | |
|--------|-----------|
| Depth | 26 7/8" |
| Height | 27 1/4" |
| Width | 47 15/16" |

| | |
|-----|-------|
| SKU | 71592 |
|-----|-------|

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? DCS by Fisher & Paykel Appliances Limited 2020

Other product downloads available at [dcsappliances.com](https://www.dcsappliances.com)



Service and Warranty



User Guide Outdoor Grill



Guide d'utilisation FR



Installation Guide Outdoor Grill EN



Guide d'installation FR



Data Sheet

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W www.dcsappliances.com