QUICK REFERENCE GUIDE > BE1-36RCI-L Date: 14.12.2023 > 1

36" Grill with Infrared Sear Burner, LP Gas

Series 9

Stainless Steel | LPG




This Series 9 built-in 36" grill is designed for premium outdoor kitchens and will take your outdoor cooking experience to the next level.

- Infrared sear burner for incredibly fast searing up to 24,000 BTU/hr
- Cater for a crowd with the secondary cooking surface
- Build into an outdoor BBQ island, or add a cart for a freestanding grill
- U-burners deliver 25,000 BTU/hr total power per burner with precise heat control from 300°F to 1100°F

DIMENSIONS





FFATURES & BENFFITS

THE PERFECT SEAR

A dedicated searing zone with a dynamic infrared burner allows you to experience a new level of versatility, using a range of cooking methods. The improved dual rail design offers increased control and faster heating, so you can achieve the perfect sear every time.

CHARCOAL SMOKER TRAY

Enjoy a smoky barbecue flavour with the ease of instant gas flame ignition. Grill directly on the cooking grate or add wood chips for extra smoke. A W-shaped tray with adjustable vents helps the charcoal last longer.

HEAVY-DUTY INFRARED ROTISSERIE

An infrared rotisserie burner provides controlled searing heat up to 14,000BTU. Perfect for entertaining, the heavy-duty motor can easily turn a 50lb load. The rotisserie rod is conveniently stored under the drip pan handle.

INTUITIVE LIGHTING

Brilliant 12-volt lighting safely illuminates the entire grilling surface when you open the lid. Ideal for night-time cooking, the bezel dial lighting glows white when the grill is on, and orange when the gas and grill are in use.

EASY LIFTING HOOD

The hood can be opened using one hand for better access and visibility when cooking. You can easily accommodate larger food loads with extra space under the hood.

EXTRA COOKING AREA

Effortlessly cook for a crowd with a secondary cooking space. You can fit a grill pan for slow cooking, roasting and making sauces, or to keep food warm after searing.

GREASE MANAGEMENT SYSTEM™

Our Grease Management System™ reduces flare-ups by channelling grease and oils away from the burner flames during grilling.

SPECIFICATIONS

Accessories (sold separately)

6" accessory storage ASE6-36
Built-in grill cover ACBI-36E
Griddle plate BGC-GP
Insulated jacket BGA36-IJS (optional)
Insulated jacket (with storage BGA42-IJS (optional)
On cart grill cover ACC-36E



QUICK REFERENCE GUIDE > BE1-36RCI-L Date: 14.12.2023 > 2

Optional cart mount	CAD-36E	LP hose with regulator an
Burners		Operational pressure
Number of U-burners	2	Supply Pressure
Sear burner zone	2	
Sear burrier zone	·	Installation Dimensions
		Cutout depth (proud)
Cooking Surface Area		Cutout height (proud)
Primary cooking area	630sq.in.	Cutout width (proud)
Secondary cooking area	534sq.in.	Insulated jacket for proud
Total cooking area	1164sq.in.	
Factoria		Performance
Features		Rotisserie burner power
Double sided grilling grates	flat and angled position	Sear burner power
Full charcoal burner/smoker	•	Total Power
Full surface searing	•	U-burner power
Grease management system™	•	Weight rotisserie can han
Hood temperature gauge	•	
Ignition system	Hot surface	Power requirements
Metal dials	•	Rotisserie power supply
Rotisserie	•	Supply frequency
Secondary cooking	2-level racks and tray	Supply voltage
Wireless temperature sensor	•	
		Product dimensions
Finish		Depth
Material	304 grade stainless steel	Height
Weather resistant	•	Width
Gas Requirements		
1/2" NPT male	•	SKU
Gas type	LPG	

hose with regulator and	
perational pressure	11" W.C.
upply Pressure	12" to 14" W.C.
stallation Dimensions	
utout depth (proud)	22 3/4"
utout height (proud)	10 1/8"
utout width (proud)	34 1/2"
sulated jacket for proud cut-	Varies - check manual
rformance	
otisserie burner power	14000 BTU
ear burner power	24000 BTU
otal Power	88000 BTU
-burner power	25000 BTU
eight rotisserie can handle	50lbs
wer requirements	
otisserie power supply	120V 60Hz
upply frequency	60Hz
upply voltage	120V
oduct dimensions	
epth	26 7/8"
eight	27 1/4"
ʻidth	35 15/16"


The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? DCS by Fisher & Paykel Appliances Limited 2020



71594

QUICK REFERENCE GUIDE > BE1-36RCI-L Date: 14.12.2023 > 3

Other product downloads available at dcsappliances.com



User Guide Outdoor Grill

Guide d'utilisation FR

Installation Guide Outdoor Grill EN

Guide d'installation FR

<u>↓</u> Data Sheet

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.dcsappliances.com