

# 36" Series 9 Grill, Rotisserie and Infrared Sear Burner, LPG

Series 9




This Series 9 built-in 36" grill is designed for premium outdoor kitchens and will take your outdoor cooking experience to the next level.

- Infrared sear burner for incredibly fast searing up to 24,000 BTU/hr
- Cater for a crowd with the secondary cooking surface
- Build into an outdoor BBQ island, or add a cart for a freestanding grill
- U-burners deliver 25,000 BTU/hr total power per burner with precise heat control from 300°F to 1100°F

## DIMENSIONS

|        |            |
|--------|------------|
| Height | 27 1/4 "   |
| Width  | 35 15/16 " |
| Depth  | 26 7/8 "   |



## FEATURES & BENEFITS

### The Perfect Sear

A dedicated searing zone with a dynamic infrared burner allows you to experience a new level of versatility, using a range of cooking methods. The improved dual rail design offers increased control and faster heating, so you can achieve the perfect sear every time.

### Charcoal Smoker Tray

Enjoy a smoky barbecue flavour with the ease of instant gas flame ignition. Grill directly on the cooking grate or add wood chips for extra smoke. A W-shaped tray with adjustable vents helps the charcoal last longer.

### Heavy-Duty Infrared Rotisserie

An infrared rotisserie burner provides controlled searing heat up to 14,000BTU. Perfect for entertaining, the heavy-duty motor can easily turn a 50lb load. The rotisserie rod is conveniently stored under the drip pan handle.

### Intuitive Lighting

Brilliant 12-volt lighting safely illuminates the entire grilling surface when you open the lid. Ideal for night-time cooking, the bezel dial lighting glows white when the grill is on, and orange when the gas and grill are in use.

### Easy Lifting Hood

The hood can be opened using one hand for better access and visibility when cooking. You can easily accommodate larger food loads with extra space under the hood.

### Extra Cooking Area

Effortlessly cook for a crowd with a secondary cooking space. You can fit a grill pan for slow cooking, roasting and making sauces, or to keep food warm after searing.

### Grease Management System™

Our Grease Management System™ reduces flare-ups by channelling grease and oils away from the burner flames during grilling.

## SPECIFICATIONS

### Accessories (sold separately)

|                      |          |
|----------------------|----------|
| 6" accessory storage | ASE6-36  |
| Built-in grill cover | ACBI-36E |

|                                                |                          |                                             |                           |                                                                                                                                                                                                                                                                                                                                                                                                        |       |
|------------------------------------------------|--------------------------|---------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Griddle plate                                  | BGC-GP                   | Finish                                      |                           | Supply frequency                                                                                                                                                                                                                                                                                                                                                                                       | 60 Hz |
| Insulated jacket                               | BGA36-IJS (optional)     | Material                                    | 304 grade stainless steel | Supply voltage                                                                                                                                                                                                                                                                                                                                                                                         | 120 V |
| Insulated jacket (with storage accessory unit) | BGA42-IJS (optional)     | Weather resistant                           | •                         |                                                                                                                                                                                                                                                                                                                                                                                                        |       |
| On cart grill cover                            | ACC-36E                  |                                             |                           | SKU                                                                                                                                                                                                                                                                                                                                                                                                    | 71594 |
| Optional cart mount                            | CAD-36E                  |                                             |                           |                                                                                                                                                                                                                                                                                                                                                                                                        |       |
| <b>Burners</b>                                 |                          | <b>Gas Requirements</b>                     |                           | The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © DCS by Fisher & Paykel Appliances Limited 2020 |       |
| Number of U-burners                            | 2                        | 1/2" NPT male                               | •                         |                                                                                                                                                                                                                                                                                                                                                                                                        |       |
| Sear burner zone                               | •                        | Gas type                                    | LPG                       |                                                                                                                                                                                                                                                                                                                                                                                                        |       |
|                                                |                          | LP hose with regulator and Type 1 connector | •                         | Other product downloads available at <a href="https://dcsappliances.com">dcsappliances.com</a>                                                                                                                                                                                                                                                                                                         |       |
|                                                |                          | Operational pressure                        | 11" W.C.                  |                                                                                                                                                                                                                                                                                                                                                                                                        |       |
|                                                |                          | Supply pressure                             | 12" to 14" W.C.           |                                                                                                                                                                                                                                                                                                                                                                                                        |       |
| <b>Cooking Surface Area</b>                    |                          | <b>Installation Dimensions</b>              |                           | ↓ 2D-DWG Grill                                                                                                                                                                                                                                                                                                                                                                                         |       |
| Primary cooking area                           | 630 sq.in.               | Cutout depth (proud)                        | 22 3/4 "                  | ↓ 2D-DWG Grill with Storage Unit                                                                                                                                                                                                                                                                                                                                                                       |       |
| Secondary cooking area                         | 534 sq.in.               | Cutout height (proud)                       | 10 1/8 "                  | ↓ 2D-DWG Grill with Storage Unit and Insulated Jacket                                                                                                                                                                                                                                                                                                                                                  |       |
| Total cooking area                             | 1164 sq.in.              | Cutout width (proud)                        | 34 1/2 "                  | ↓ 2D-DWG Grill with Insulated Jacket                                                                                                                                                                                                                                                                                                                                                                   |       |
|                                                |                          | Insulated jacket for proud cut-out          | Varies - check manual     | ↓ 2D-DXF Grill                                                                                                                                                                                                                                                                                                                                                                                         |       |
| <b>Features</b>                                |                          | <b>Performance</b>                          |                           | ↓ 2D-DXF Grill with Storage Unit                                                                                                                                                                                                                                                                                                                                                                       |       |
| Double sided grilling grates                   | flat and angled position | Rotisserie burner power                     | 14000 BTU                 | ↓ 2D-DXF Grill with Storage Unit and Insulated Jacket                                                                                                                                                                                                                                                                                                                                                  |       |
| Full charcoal burner/smoker                    | •                        | Sear burner power                           | 24000 BTU                 | ↓ 2D-DXF Grill with Insulated Jacket                                                                                                                                                                                                                                                                                                                                                                   |       |
| Full surface searing                           | •                        | Total Power                                 | 88000 BTU                 | ↓ Installation Guide Grill EN                                                                                                                                                                                                                                                                                                                                                                          |       |
| Grease management system™                      | •                        | U-burner power                              | 25000 BTU                 | ↓ Installation Guide Grill on Cart EN                                                                                                                                                                                                                                                                                                                                                                  |       |
| Hood temperature gauge                         | •                        | Weight rotisserie can handle                | 50 lbs                    | ↓ Guide d'installation FR                                                                                                                                                                                                                                                                                                                                                                              |       |
| Ignition system                                | Hot surface              |                                             |                           | ↓ Installation Guide Grill on Cart FR                                                                                                                                                                                                                                                                                                                                                                  |       |
| Metal dials                                    | •                        | <b>Power requirements</b>                   |                           | ↓ Guía de instalación SP                                                                                                                                                                                                                                                                                                                                                                               |       |
| Rotisserie                                     | •                        | Rotisserie power supply                     | 120V 60Hz                 | ↓ Installation Guide Grill on Cart SP                                                                                                                                                                                                                                                                                                                                                                  |       |
| Secondary cooking features                     | 2-level racks and tray   |                                             |                           | ↓ Planning Guide EN - Professional Grills Series 9 Outdoor Kitchen                                                                                                                                                                                                                                                                                                                                     |       |
| Wireless temperature sensor compatible         | •                        |                                             |                           | ↓ Planning Guide FR - Professional Grills Series 9 Outdoor Kitchen                                                                                                                                                                                                                                                                                                                                     |       |

- ↓ Planning Guide SP - Professional Grills Series 9 Outdoor Kitchen
- ↓ Revit-18 Grill
- ↓ Revit-18 Grill with Storage Unit
- ↓ Rhino-5 Grill
- ↓ Rhino-5 Grill with Storage Unit
- ↓ Rhino-5 Grill with Storage Unit and Insulated Jacket
- ↓ Rhino-5 Grill with Insulated Jacket
- ↓ Service and Warranty EN FR
- ↓ Sketchup-8 Grill
- ↓ Sketchup-8 Grill with Storage Unit
- ↓ Sketchup-8 Grill with Storage Unit and Insulated Jacket
- ↓ Sketchup-8 Grill with Insulated Jacket
- ↓ User Guide Grill EN
- ↓ Guide d'utilisation FR
- ↓ Guía del usuario SP

### A PEACE OF MIND SALE

**24 Hours 7 Days a Week Customer Support**

T 1.888.936.7872 W [www.dcsappliances.com](http://www.dcsappliances.com)