30" Series 7 Grill, LPG

Series 7

Stainless Steel | LPG



DCS Outdoor Grills are simply the most advanced grilling system available for on-cart or built in applications. At DCS we combine the latest grilling technology and innovation to deliver the ultimate in outdoor cooking performance and control. Every DCS Grill is handcrafted and constructed entirely of heavy gauge type 304 stainless steel. Available in Natural and LP Gas.

- 30" Grill, Non Rotis, Natural Gas

DIMENSIONS

Height	24 1/4 "
Width	30 "
Depth	26 5/8 "

FEATURES & BENEFITS

Stainless Steel Burners

The precision ported U-shaped stainless steel burners are rated at a massive 25,000BTU each, offering premium quality and performance. A heat shield directs heat upwards maximizing heating efficiency.

Ceramic Radiant Technology

A layer of ceramic rods provides intense yet even heat. It gives a consistent grilling surface, with controlled heat rather than direct fire.

Precise Heat And Control

A DCS Grill puts you in control of up to a massive 50,000 BTU per hour total power. That power lets you choose the precise heat you need from a low and slow 300 up to an intense 1100. DCS Grills do more than help you grill an incredible steak, you can close the specially designed hood and use the power of convection to cook the perfect pizza. DCS Grills put you in control, giving you the versatility to cook what you want.

Drip Pan

DCS Grills feature a removable drip pan, conveniently located in a slide-out tray to allow for easy cleaning.

Full Surface Searing

This grill features full surface searing, rather than uneven hotspots.

Real Steel - Inside Out

Assembled by hand from heavy duty 304 stainless steel, inside and out, DCS Grills are built to handle most everything Mother Nature can throw at them.

SPECIFICATIONS

Accessories (sold separately)

Built-in grill cover	ACBI-30
Insulated jacket	BGB30-IJS (optional)
On cart grill cover	ACC-30
Optional cart mount	CAD1-30 / BGB30-CSS

Burners

Number of U-burners	2

Cooking Surface Area

Primary cooking area	553 sq.in.
Total cooking area	748 sq.in.
Warming rack area	195 sq.in.

Features

Full surface searing	•
Ignition system	Spark
Warming rack	•

Finish

Material	304 grade stainless steel
Weather resistant	•

Gas Requirements

1/2" NPT male with 3/8" in flare adapter	•
Gas type	LPG
LP hose with regulator and Type 1 connector	•

Operational pressure	11" W.C.
Supply pressure	12" to 14" W.C.

Installation Dimensions

Cutout depth (proud)	22 3/4 "
Cutout height (proud)	10 1/8 "
Cutout width (proud)	28 1/2 "
Insulated jacket for proud cut-out	varies - check manual

Performance

Total Power	50000 BTU
U-burner power	25000 BTU

Power Requirements

Grill power supply	9V Battery for Ignition

SKU	71453

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © DCS by Fisher & Paykel Appliances Limited 2020

Other product downloads available at dcsappliances.com

DXF

DXF

- DWG
- DWG
- DWG
- DWG
- Installation Guide (English)
- Installation Guide (English)
- Installation Guide (Canadian French)
- Installation Guide (Canadian French)
- Installation Guide (Spanish)
- Installation Guide (Spanish)
- Right To Repair Declaration (English, French)
- Service & Warranty (English, Canadian French)
- User Guide (English)
- User Guide (Canadian French)
- User Guide (Spanish)

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.dcsappliances.com